Albert-Ludwigs-Universität, Inst. für Informatik Prof. Dr. Fabian Kuhn Mohamad Ahmadi

Theoretical Computer Science - Bridging Course Summer Term 2019 Exercise Sheet 2

for getting feedback submit electronically by 06:00 am, Friday, May 10th, 2019

Exercise 1: Drawing DFAs and NFAs

Consider the following three languages over the alphabet $\{0, 1\}$.

 $L_1 = \{ w \mid |w| \ge 2 \text{ and } w \text{ contains an even number of zeros} \}.$

 $L_2 = \{ w \mid w \text{ contains exactly two ones} \}.$

 $L_3 = \{w \mid w \text{ has an odd number of zeros and ends with } 1\}.$

First draw a DFA for each of the languages L_1, L_2 and L_3 . Then, for each of the following languages, provide an NFA that recognizes the given language.

(a) L_1^*

- (b) $L_3 \circ L_2$
- (c) $L_2 \cup L_3$

Exercise 2: Regular Languages

Let L, L_1, L_2 be regular languages. Show that both $\overline{L} := \Sigma^* \setminus L$ and $L_1 \cap L_2$ are regular as well by constructing the corresponding DFAs.

Remark: No need for drawing state diagrams. Show how a DFA for the language in question can be constructed presuming the existence of DFAs for L, L_1, L_2 .


(4 Points)

(8 Points)

Exercise 3: NFA to DFA

(8 Points)

Consider the following NFA.



- (a) Give a formal description of the NFA by giving the alphabet, state set, transition function, start state and the set of accept states.
- (b) Construct a DFA which is equivalent to the above NFA by drawing the corresponding state diagram.
- (c) Explain what language the automaton recognizes.