



Algorithms and Datastructures Summer Term 2020 Exercise Sheet 12

Due: Wednesday, 5th of August, 4 pm.

Exercise 1: Rabin-Karp Algorithm

(10 Bonus Points)

- (a) Implement the Rabin-Karp algorithm. You may use the template `StringMatching.py`. The algorithm should return a Python-list containing all starting points of the pattern. That is, for each time the pattern is recognized, the list should contain the position of the first letter of this appearance.

Remark: The algorithm in the recording had a mistake, the pdf slides on the website contain the correct version.

- (b) Run your algorithm on the text and pattern given in `input.txt`. Write the output into `erfahrungen.txt`.

Remark: When choosing the parameters b and M , consider that the procedure `read_input` used on `input.txt` creates an array with values from `ord(' ') = 32` (whitespace) to `ord('z') = 122`.

Exercise 2: Knuth-Morris-Pratt Algorithmus

(10 Bonus Points)

Consider the pattern $P = BBABAB$ and the text $T = ABBABBABABBABABBA$.

- (a) Compute the array S of the Knuth-Morris-Pratt algorithm. *(5 Bonus Points)*
- (b) Use the Knuth-Morris-Pratt algorithm to find all appearances of P in T . Document the steps analogously to the lecture. *(5 Bonus Points)*