



Chapter 2

Greedy Algorithms

Algorithm Theory
WS 2012/13

Fabian Kuhn

Greedy Algorithms

- No clear definition, but essentially:

In each step make the choice that looks best at the moment!


- Depending on problem, greedy algorithms can give
 - Optimal solutions
 - Close to optimal solutions
 - No (reasonable) solutions at all
- If it works, very interesting approach!
 - And we might even learn something about the structure of the problem

Goal: Improve understanding where it works (mostly by examples)

Interval Scheduling

- **Given:** Set of **intervals**, e.g.

$[0,10], [1,3], [1,4], [3,5], [4,7], [5,8], [5,12], [7,9], [9,12], [8,10], [11,14], [12,14]$




- **Goal:** Select largest possible non-overlapping set of intervals
 - Overlap at boundary ok, i.e., $[4,7]$ and $[7,9]$ are non-overlapping
- **Example:** Intervals are room requests; satisfy as many as possible


Greedy Algorithms

- Several possibilities...

Choose first available interval:




Choose shortest available interval:



Greedy Algorithms

Choose available request with earliest finishing time:




```

R := set of all requests; S := empty set;
while R is not empty do
    choose  $r \in R$  with smallest finishing time
    add  $r$  to S
    delete all requests from R that are not compatible with  $r$ 
end           // S is the solution
    
```

Earliest Finishing Time is Optimal

- Let O be the set of intervals of an optimal solution
- Can we show that $S = O$?
 - No...



- Show that $|S| = |O|$.

Greedy Stays Ahead

- Greedy Solution:


$$[a_1, b_1], [a_2, b_2], \dots, [a_{|S|}, b_{|S|}], \quad \text{where } \underline{b_i \leq a_{i+1}}$$

- Optimal Solution:

$$[a_1^*, b_1^*], [a_2^*, b_2^*], \dots, [a_{|O|}^*, b_{|O|}^*], \quad \text{where } b_i^* \leq a_{i+1}^*$$

- Assume that $\underline{b_i = \infty}$ for $\underline{i > |S|}$ and $\underline{b_i^* = \infty}$ for $\underline{i > |O|}$

Claim: For all $i \geq 1$, $b_i \leq b_i^*$




Greedy Stays Ahead

Claim: For all $i \geq 1$, $b_i \leq b_i^*$

Proof (by induction on i):

Base: $b_1 \leq b_1^*$ ✓

Step: $b_k \leq b_k^*$ show that $b_{k+1} \leq b_{k+1}^*$



Corollary: Earliest finishing time algorithm is optimal.

Weighted Interval Scheduling

Weighted version of the problem:

- Each interval has a weight
- Goal: Non-overlapping set with maximum total weight

Earliest finishing time greedy algorithm fails:

- Algorithm needs to look at weights
- Else, the selected sets could be the ones with smallest weight...

can't be solved using a greedy alg.


No simple greedy algorithm:

- We will see an algorithm using another design technique later.

dynamic programming

Interval Partitioning


- **Schedule all intervals:** Partition intervals into **as few as possible non-overlapping sets of intervals**
 - Assign intervals to different resources, where each resource needs to get a non-overlapping set
- **Example:**
 - Intervals are requests to use some room during this time
 - Assign all requests to some room such that there are no conflicts
 - Use as few rooms as possible
- **Assignment to 3 resources:**



Depth

Depth of a set of intervals:

- Maximum number passing over a single point in time
- Depth of initial example is 4 (e.g., $[0,10],[4,7],[5,8],[5,12]$):



Lemma: Number of resources needed \geq depth

Greedy Algorithm

Can we achieve a partition into “depth” non-overlapping sets?

- Would mean that the only obstacles to partitioning are local...


Algorithm:

- Assigns labels 1, ... to the sets; same label \rightarrow non-overlapping
1. sort intervals by starting time: I_1, I_2, \dots, I_n
 2. **for** $i = 1$ **to** n **do**
 3. assign smallest possible label to I_i
 (possible label: different from conflicting intervals $I_j, j < i$)
 4. **end**

Interval Partitioning Algorithm

Example:

- Labels:    



- Number of labels = depth = 4

Interval Partitioning: Analysis

Theorem:

- a) Let d be the depth of the given set of intervals. The algorithm assigns a label from $1, \dots, d$ to each
- b) Sets with the same label are non-overlapping

Proof:

- b) holds by construction
- For a):
 - All intervals $I_j, j < i$ overlapping with I_i , overlap at the beginning of I_i

 - At most $d - 1$ such intervals \rightarrow some label in $\{1, \dots, d\}$ is available.