



Chapter 5

Data Structures

Algorithm Theory
WS 2017/18

Fabian Kuhn

Examples

Dictionary:

- Operations: $\text{insert}(key, value)$, $\text{delete}(key)$, $\text{find}(key)$
- Implementations:
 - Linked list: all operations take $O(n)$ time (n : size of data structure)
 - Balanced binary tree: all operations take $O(\log n)$ time
 - Hash table: all operations take $O(1)$ times (with some assumptions)

Stack (LIFO Queue):

- Operations: push, pull
- Linked list: $O(1)$ for both operations

(FIFO) Queue:

- Operations: enqueue, dequeue
- Linked list: $O(1)$ time for both operations

Here: **Priority Queues (heaps), Union-Find data structure**

Dijkstra's Algorithm


Single-Source Shortest Path Problem:

- **Given:** graph $G = (V, E)$ with edge weights $w(e) \geq 0$ for $e \in E$
source node $s \in V$
- **Goal:** compute shortest paths from s to all $v \in V$


Dijkstra's Algorithm:

1. Initialize $d(s, s) = 0$ and $d(s, v) = \infty$ for all $v \neq s$
2. All nodes are unmarked
3. Get unmarked node u which minimizes $d(s, u)$:
4. For all $e = \{u, v\} \in E$, $d(s, v) = \min\{d(s, v), d(s, u) + w(e)\}$
5. mark node u
6. Until all nodes are marked


Example




Example




Example




Example




Example




Example



Example



Example



Implementation of Dijkstra's Algorithm

Dijkstra's Algorithm:

1. Initialize $d(s, s) = 0$ and $d(s, v) = \infty$ for all $v \neq s$
2. All nodes $v \neq s$ are unmarked
3. Get unmarked node u which minimizes $d(s, u)$:
4. For all $e = \{u, v\} \in E$, $d(s, v) = \min\{d(s, v), d(s, u) + w(e)\}$
5. mark node u
6. Until all nodes are marked

Priority Queue / Heap

- Stores $(key, data)$ pairs (like dictionary)
- But, different set of operations:
- **Initialize-Heap**: creates new empty heap
- **Is-Empty**: returns true if heap is empty
- **Insert($key, data$)**: inserts $(key, data)$ -pair, returns pointer to entry
- **Get-Min**: returns $(key, data)$ -pair with minimum key
- **Delete-Min**: deletes minimum $(key, data)$ -pair
- **Decrease-Key($entry, newkey$)**: decreases key of $entry$ to $newkey$
- **Merge**: merges two heaps into one

Implementation of Dijkstra's Algorithm

Store nodes in a priority queue, use $d(s, v)$ as keys:

1. Initialize $d(s, s) = 0$ and $d(s, v) = \infty$ for all $v \neq s$
2. All nodes $v \neq s$ are unmarked
3. Get unmarked node u which minimizes $d(s, u)$:
4. mark node u
5. For all $e = \{u, v\} \in E$, $d(s, v) = \min\{d(s, v), d(s, u) + w(e)\}$
6. Until all nodes are marked

Analysis


Number of priority queue operations for Dijkstra:

- Initialize-Heap: 1
- Is-Empty: $|V|$
- Insert: $|V|$
- Get-Min: $|V|$
- Delete-Min: $|V|$
- Decrease-Key: $|E|$
- Merge: 0

Priority Queue Implementation

Implementation as min-heap:

→ complete binary tree,
e.g., stored in an array




Priority Queue Implementation

Implementation as min-heap:

→ complete binary tree,
e.g., stored in an array

- **Initialize-Heap:** $O(1)$
- **Is-Empty:** $O(1)$
- **Insert:** $O(\log n)$
- **Get-Min:** $O(1)$
- **Delete-Min:** $O(\log n)$
- **Decrease-Key:** $O(\log n)$
- **Merge** (heaps of size m and n , $m \leq n$): $O(m \log n)$



Can We Do Better?

- Cost of **Dijkstra** with **complete binary min-heap** implementation:
 $O(|E| \log|V|)$
- **Binary heap:**
insert, delete-min, and decrease-key cost $O(\log n)$
merging two heaps is expensive
- One of the operations **insert or delete-min** must cost $\Omega(\log n)$:
 - **Heap-Sort**:
Insert n elements into heap, then take out the minimum n times
 - (Comparison-based) sorting costs at least $\Omega(n \log n)$.
- But maybe we can improve merge, decrease-key, and one of the other two operations?