



# Chapter 6 Graph Algorithms

Algorithm Theory WS 2017/18

**Fabian Kuhn** 

# Graphs




Extremely important concept in computer science

Graph 
$$G = (V, E)$$

- *V*: node (or vertex) set
- $E \subseteq V^2$ : edge set





- Simple graph: no self-loops, no multiple edges
- Undirected graph: we often think of edges as sets of size 2 (e.g.,  $\{u, v\}$ )
- Directed graph: edges are sometimes also called arcs
- Weighted graph: (positive) weight on edges (or nodes)
- (simple) path: sequence  $v_0, \dots, v_k$  of nodes such that  $(v_i, v_{i+1}) \in E$  for all  $i \in \{0, \dots, k-1\}$

• ...

Many real-world problems can be formulated as optimization problems on graphs

# Graph Optimization: Examples



### Minimum spanning tree (MST):

Compute min. weight spanning tree of a weighted undir. Graph

#### **Shortest paths:**

Compute (length) of shortest paths (single source, all pairs, ...)

## **Traveling salesperson (TSP):**


Compute shortest TSP path/tour in weighted graph

### **Vertex coloring:**

- Color the nodes such that neighbors get different colors
- Goal: minimize the number of colors

### **Maximum matching:**

- Matching: set of pair-wise non-adjacent edges
- Goal: maximize the size of the matching



## **Network Flow**



#### **Flow Network:**

- Directed graph  $G = (V, E), E \subseteq V^2$
- Each (directed) edge e has a capacity  $c_e \ge 0$ 
  - Amount of flow (traffic) that the edge can carry
- A single source node  $s \in V$  and a single sink node  $t \in V$

## Flow: (informally)


Traffic from s to t such that each edge carries at most its capacity

#### **Examples:**

- Highway system: edges are highways, flow is the traffic
- Computer network: edges are network links that can carry packets, nodes are switches
- Fluid network: edges are pipes that carry liquid

# Example: Flow Network





# **Network Flow: Definition**



Flow: function  $f: E \to \mathbb{R}_{\geq 0}$ 

• f(e) is the amount of flow carried by edge e

### **Capacity Constraints:**

• For each edge  $e \in E$ ,  $f(e) \le c_e$ 

#### Flow Conservation:

• For each node  $v \in V \setminus \{s, t\}$ ,

$$\sum_{e \text{ into } v} \underline{f(e)} = \sum_{e \text{ out of } v} f(e)$$

#### Flow Value:

$$|f| \coloneqq \sum_{e \text{ out of } s} f((s, u)) = \sum_{e \text{ into } t} f((v, t))$$

## **Notation**



#### We define:

$$f^{\text{in}}(v) \coloneqq \sum_{e \text{ into } v} f(e), \qquad f^{\text{out}}(v) \coloneqq \sum_{e \text{ out of } v}$$

#### For a set $S \subseteq V$ :

$$f^{\text{in}}(S) \coloneqq \sum_{e \text{ into } S} f(e), \quad f^{\text{out}}(S) \coloneqq \sum_{e \text{ out of } S} f(e)$$

Flow conservation:  $\forall v \in V \setminus \{s, t\}: f^{\text{in}}(v) = f^{\text{out}}(v)$ 

Flow value: 
$$|f| = f^{\text{out}}(s) = \underline{f^{\text{in}}(t)}$$

For simplicity: Assume that all capacities are positive integers