

# Theoretical Computer Science - Bridging Course

## Winter Term 2019/2020

### Exercise Sheet 6

for getting feedback submit electronically by 12:15, Monday, December 2, 2019

#### Exercise 1: Constructing Turing Machines (3+3 Points)

Construct a Turing Machine for each of the following languages.

(a)  $L_1 = \{a^i b^j a^i b^j \mid i, j > 0\}$

(b) Language  $L_2$  of all strings over alphabet  $\{a, b\}$  with the same number of  $a$ 's and  $b$ 's.

*Remark: It is sufficient to give a detailed description of the Turing Machines. You do not need to give formal definitions.*

#### Exercise 2: Semi-Decidable vs. Recursively Enumerable (3+3 Points)

Very often people in computer science use the terms *semi-decidable* and *recursively enumerable* equivalently. The following exercise shows in which way they actually are equivalent. We first recall the definition of both terms.

A language  $L$  is *semi-decidable* if there is a Turing machine which accepts every  $w \in L$  and does not accept any  $w \notin L$  (this means the TM can either reject  $w \notin L$  or simply not stop for  $w \notin L$ ).

A language is *recursively enumerable* if there is a Turing machine which eventually outputs every word  $w \in L$  and never outputs a word  $w \notin L$ .

- (a) Show that any recursively enumerable language is semi-decidable.
- (b) Show that any semi-decidable language is recursively enumerable.

#### Exercise 3: Halting Problem (2+2+2+2 Points)

The *special halting problem* is defined as

$$H_s = \{\langle M \rangle \mid \langle M \rangle \text{ encodes a TM and } M \text{ halts on } \langle M \rangle\}.$$

- (a) Show that  $H_s$  is undecidable.

*Hint: Assume that  $M$  is a TM which decides  $H_s$  and then construct a TM which halts iff  $M$  does not halt. Use this construction to find a contradiction.*

- (b) Show that the special halting problem is recursively enumerable.
- (c) Show that the complement of the special halting problem is not recursively enumerable.

*Hint: What can you say about a language  $L$  if  $L$  and its complement are recursively enumerable? (if you make some observation for this, also prove it)*

- (d) Let  $L_1$  and  $L_2$  be recursively enumerable languages. Is  $L_1 \setminus L_2$  recursively enumerable as well?
- (e) Is  $L = \{w \in H_s \mid |w| \leq 1742\}$  decidable? Explain your answer!