



# Chapter 5


# Clock Synchronization

## Distributed Systems

### SS 2015

### Fabian Kuhn

# Clock Synchronization




- For a change, a more practical chapter 😊
- After considering logical time, let's care how to actually approximate and deal with real time ...
  - How to get synchronized clocks...
- Topics:
  1. General introduction to time and time synchronization
  2. Clock synchronization in computer systems / distributed systems
  3. Theory of clock synchronization
- **Slides (slightly adapted) by Roger Wattenhofer (ETH Zurich)**

**Thanks a lot!**

# Motivation

- Logical Time (“happens-before”)
  - Determine the order of events in a distributed system
  - Synchronize resources
- Physical Time
  - Timestamp events (email, sensor data, file access times etc.)
  - Synchronize audio and video streams
  - Measure signal propagation delays (Localization)
  - Wireless (TDMA, duty cycling)
  - Digital control systems (ESP, airplane autopilot etc.)





# Properties of Clock Synch. Algorithms

- External vs. internal synchronization
  - External sync: Nodes synchronize with an external clock source (UTC)
  - Internal sync: Nodes synchronize to a common time
    - to a leader, to an averaged time, ...
- One-shot vs. continuous synchronization
  - Periodic synchronization required to compensate clock drift
- Online vs. offline time information
  - Offline: Can reconstruct time of an event when needed
- Global vs. local synchronization (explained later)
- Accuracy vs. convergence time, Byzantine nodes, ...




# World Time (UTC)

- Atomic Clock
  - UTC: Coordinated Universal Time
  - SI definition 1s := 9192631770 oscillation cycles of the caesium-133 atom
  - Atoms are excited to oscillate at their resonance frequency and cycles can be counted.
  - Almost no drift (about 1s in 10 Million years)
  - Getting smaller and more energy efficient!



# Atomic Clocks vs. Length of a Day



- Radio Clock Signal
  - Clock signal from a reference source (atomic clock) is transmitted over a long wave radio signal
  - DCF77 station near Frankfurt, Germany transmits at 77.5 kHz with a transmission range of up to 2000 km
  - Accuracy limited by the propagation delay of the signal, Frankfurt-Freiburg is about **0.8 ms**
  - Special antenna/receiver hardware required





# What is UTC, really?


- International Atomic Time (TAI)
  - About 200 atomic clocks
  - About 50 national laboratories
  - Reduce clock skew by comparing and averaging
  - $UTC = TAI + UTC \text{ leap seconds}$  (irregular rotation of earth)



- GPS
  - USNO Time
  - USNO vs. TAI difference is a few nanoseconds



# Comparing (and Averaging)



Station A

$$t_{\Delta A} = t_A - (t_{SV} + d_A)$$

Station B

$$t_{\Delta B} = t_B - (t_{SV} + d_B)$$

$$\begin{aligned} t_{\Delta} &= t_{\Delta B} - t_{\Delta A} = t_B - (t_{SV} + d_B) - t_A + (t_{SV} + d_A) \\ &= t_B - t_A + d_A - d_B \end{aligned}$$



# Global Positioning System (GPS)

- Satellites continuously transmit own position and time code
  - Line of sight between satellite and receiver required
  - Special antenna/receiver hardware required
  - Time of flight of GPS signals varies between **64 and 89ms**
  - Positioning in space and **time!**
- 
- Which is more accurate, GPS or Radio Clock Signal?



# GPS Localization


Assuming that time of GPS satellites is correctly synchronized...



# GPS Localization

$$\begin{aligned}\left\| \frac{\mathbf{s}_1 - \mathbf{p}}{c} \right\| &= t - t_1 \\ \left\| \frac{\mathbf{s}_2 - \mathbf{p}}{c} \right\| &= t + t_{12} - t_2 \\ \left\| \frac{\mathbf{s}_3 - \mathbf{p}}{c} \right\| &= t + t_{13} - t_3 \\ &\vdots \\ &\vdots \\ \left\| \frac{\mathbf{s}_n - \mathbf{p}}{c} \right\| &= t + t_{1n} - t_n\end{aligned}$$

$c$  = speed of light



Find least squares solution in  $t$  and  $\mathbf{p}$

# Keeping GPS Satellites synchronized

