

## Network Algorithms, Summer Term 2015

### Problem Set 3 – Sample Solution

#### Exercise 1: Leader Election in an “Almost Anonymous” Ring

- a) Yes, it is possible:

---

**Algorithm 1** Leader Election (all but one nodes have the same ID)

---

```
1: send ID to each neighbor
2: if both received ID's differ from the own ID then
3:   I am the leader
4: end if
```

---

Note that this only works for  $n \geq 3$ . For  $n = 2$  both nodes receive only one ID and the node with the lower ID can become the leader. For  $n = 1$  the node does not receive a message and thus becomes the leader.

- b) It is generally not possible to elect a leader if  $n \equiv 0 \pmod{3}$ . The proof is analogous to the impossibility proof for anonymous deterministic leader election in rings. Assume that the identifiers are distributed perfectly symmetrically, i.e., between any two nodes with identifier 1, there are  $(n - 3)/3$  nodes with identifier 0. Every node has at least 2 perfectly symmetric nodes in the ring and therefore, for every node, there is always at least 2 other nodes that have the same state at all times. Formally, one can show by induction on the number of rounds that for every  $r \geq 0$  and every  $0 \leq d \leq \lceil (n - 3)/6 \rceil$ , all nodes at distance  $d$  from a node with ID 1 have the same state.

Now, assume that  $n \not\equiv 0 \pmod{3}$ . All 3 nodes with ID 1 start by sending a message around the ring. Whenever a node receives a message on one of its edges, it forwards it to the other edge. By counting how many ones a message has seen and how many zeroes there were in-between the ones, the ID 1 nodes can detect when they get their messages back. Further, they can also learn the structure of the ID assignment on the ring (how many 0-nodes there are on both sides and the number of 0-nodes between the other two ID 1 nodes). Based on that information, a leader can be uniquely determined, e.g., it can be the 1-node between the larger two stretches of 0-nodes, and if that is no unique, it is the 1-node between the smaller two stretches of 0-nodes.

- c) Consider any ring with  $n$  nodes and some ID assignment. No node can distinguish this ring from a ring with  $kn$  nodes in which the same ID assignment is repeated  $k$  times (for every positive integer  $k$ ). Further in the ring with  $kn$  nodes for  $k > 1$ , every node has at least  $k - 1$  perfectly symmetric nodes.

#### Exercise 2: Leader Election in Trees

We only sketch a solution. Each node that has heard from all but one neighbors, forwards a message to the remaining neighbor. That is, at the beginning all the leaves send a message to their single neighbor

and then, messages propagate towards the “center” of the tree. While sending these messages “up” the tree, the nodes can count the number of visited nodes (i.e., the sizes of the sub-tree). This computation stops as soon as two nodes receive such a message from each other or if a node  $u$  receives messages from all neighbors before it can propagate any message (i.e., if the messages from the last two neighbors arrive at the same time). In the second case,  $u$  becomes the leader. In the first case, we can elect one of the two nodes as leader, if they are roots of subtrees of different sizes. This is guaranteed if  $n$  is odd. If  $n$  is even, the tree could e.g., be a path of length  $n$  such that in an asynchronous execution, no leader can be elected.