



Chapter 2

Greedy Algorithms

Algorithm Theory
WS 2014/15

Fabian Kuhn

Greedy Algorithms

- No clear definition, but essentially:

In each step make the choice that looks best at the moment!


- Depending on problem, greedy algorithms can give
 - Optimal solutions
 - Close to optimal solutions
 - No (reasonable) solutions at all
- If it works, very interesting approach!
 - And we might even learn something about the structure of the problem

Goal: Improve understanding where it works (mostly by examples)

Interval Scheduling

- **Given:** Set of **intervals**, e.g.

$[0,10], [1,3], [1,4], [3,5], [4,7], [5,8], [5,12], [7,9], [9,12], [8,10], [11,14], [12,14]$




- **Goal:** Select largest possible non-overlapping set of intervals
 - Overlap at boundary ok, i.e., $[4,7]$ and $[7,9]$ are non-overlapping
- **Example:** Intervals are room requests; satisfy as many as possible


Greedy Algorithms

- Several possibilities...

Choose first available interval:




Choose shortest available interval:



Greedy Algorithms

Choose available request with earliest finishing time:




$R :=$ set of all requests; $S :=$ empty set;
while R is not empty **do**
 choose $r \in R$ with smallest finishing time
 add r to S
 delete all requests from R that are not compatible with r
end // S is the solution

Earliest Finishing Time is Optimal

S: alg. solution

- Let O be the set of intervals of an optimal solution
- Can we show that $S = O$?
 - No...



- Show that $|S| = |O|$.

Greedy Stays Ahead

- Greedy Solution:


$$\underline{[a_1, b_1]}, \underline{[a_2, b_2]}, \dots, \underline{[a_{|S|}, b_{|S|}]}, \quad \text{where } b_i \leq a_{i+1}$$

- Optimal Solution:

$$\underline{[a_1^*, b_1^*]}, \underline{[a_2^*, b_2^*]}, \dots, \underline{[a_{|O|}^*, b_{|O|}^*]}, \quad \text{where } b_i^* \leq a_{i+1}^*$$

- Assume that $\underline{b_i} = \infty$ for $i > |S|$ and $\underline{b_i^*} = \infty$ for $i > |O|$

Claim: For all $i \geq 1$, $\underline{b_i} \leq \underline{b_i^*}$




Greedy Stays Ahead

Claim: For all $i \geq 1$, $b_i \leq b_i^*$

Proof (by induction on i):

Base: $i=1$ $b_1 \leq \underline{\underline{b_1^*}}$ ✓

Step: $i-1 \rightarrow i$ l.h.: $b_{i-1} \leq b_{i-1}^*$



□

Corollary: Earliest finishing time algorithm is optimal.

Weighted Interval Scheduling

Weighted version of the problem:

- Each interval has a weight
- Goal: Non-overlapping set with maximum total weight

Earliest finishing time greedy algorithm fails:


- Algorithm needs to look at weights
- Else, the selected sets could be the ones with smallest weight...

No simple greedy algorithm:

- We will see an algorithm using another design technique later.

Interval Partitioning


- **Schedule all intervals:** Partition intervals into **as few as possible non-overlapping sets of intervals**
 - Assign intervals to different resources, where each resource needs to get a non-overlapping set
- **Example:**
 - Intervals are requests to use some room during this time
 - Assign all requests to some room such that there are no conflicts
 - Use as few rooms as possible
- **Assignment to 3 resources:**



Depth

Depth of a set of intervals:

- Maximum number passing over a single point in time
- Depth of initial example is 4 (e.g., $[0,10],[4,7],[5,8],[5,12]$):



Lemma: Number of resources needed \geq depth

Greedy Algorithm

Can we achieve a partition into “depth” non-overlapping sets?

- Would mean that the only obstacles to partitioning are local...


Algorithm: *(colors)*

- Assigns labels 1, ... to the sets; same label \rightarrow non-overlapping
1. sort intervals by starting time: I_1, I_2, \dots, I_n
 2. **for** $i = 1$ **to** n **do**
 3. assign smallest possible label to I_i
 (possible label: different from conflicting intervals $I_j, j < i$)
 4. **end**

Interval Partitioning Algorithm

Example:

- Labels: 1 2 3 4



- Number of labels = depth = 4


Interval Partitioning: Analysis

Theorem:

- a) Let d be the depth of the given set of intervals. The algorithm assigns a label from $1, \dots, d$ to each interval.
- b) Sets with the same label are non-overlapping

Proof:

- b) holds by construction
- For a):
 - All intervals $I_j, j < i$ overlapping with I_i , overlap at the beginning of I_i



- At most $d - 1$ such intervals \rightarrow some label in $\{1, \dots, d\}$ is available.

Traveling Salesperson Problem (TSP)

Input:

- Set V of n nodes (points, cities, locations, sites)
- Distance function $d: V \times V \rightarrow \mathbb{R}$, i.e., $d(u, v)$: dist. from u to v
- Distances usually symmetric, asymm. distances \rightarrow asymm. TSP


Solution:

- Ordering/permutation v_1, v_2, \dots, v_n of nodes
- Length of TSP path: $\sum_{i=1}^{n-1} d(v_i, v_{i+1})$
- Length of TSP tour: $d(v_n, v_1) + \sum_{i=1}^{n-1} d(v_i, v_{i+1})$

Goal:

- Minimize length of TSP path or TSP tour

Example



Optimal Tour:


Length: 86

Greedy Algorithm?

Length: 121

Nearest Neighbor (Greedy)


- Nearest neighbor can be arbitrarily bad, even for TSP paths



TSP Variants

- Asymmetric TSP
 - arbitrary non-negative distance/cost function
 - most general, nearest neighbor arbitrarily bad
 - NP-hard to get within any bound of optimum

- Symmetric TSP
 - arbitrary non-negative distance/cost function
 - nearest neighbor arbitrarily bad
 - NP-hard to get within any bound of optimum




- Metric TSP
 - distance function defines metric space: symmetric, non-negative, triangle inequality: $d(u, v) \leq d(u, w) + d(w, v)$ ($\forall u, v, w$)
 - possible to get close to optimum (we will later see factor $3/2$)
 - what about the nearest neighbor algorithm?

Metric TSP, Nearest Neighbor



Optimal TSP tour:

Nearest-Neighbor TSP tour:



Metric TSP, Nearest Neighbor

Optimal TSP tour:

Nearest-Neighbor TSP tour:


cost = 24

red edges that are assigned a green edge are called "marked"

opt tour = green edges

≥ marked red edges

at least half of the red edges are marked



$d(6,11) \geq 4.0$

Metric TSP, Nearest Neighbor




Triangle Inequality:

optimal tour on remaining nodes

\leq

overall optimal tour



Metric TSP, Nearest Neighbor

Analysis works in **phases**:

- In each phase, assign each optimal edge to some greedy edge
 - Cost of greedy edge \leq cost of optimal edge
- Each greedy edge gets assigned ≤ 2 optimal edges
 - At least half of the greedy edges get assigned
- At end of phase:
 - Remove points for which greedy edge is assigned
 - Consider optimal solution for remaining points
- **Triangle inequality**: remaining opt. solution \leq overall opt. sol.
- Cost of greedy edges assigned in **each phase \leq opt. cost**
- **Number of phases \leq $\log_2 n$**
 - +1 for last greedy edge in tour

Metric TSP, Nearest Neighbor

- Assume:
NN: cost of greedy tour, OPT: cost of optimal tour


- We have shown:

$$\frac{NN}{OPT} \leq \underbrace{1 + \log_2 n}_{\text{approximation ratio}}$$

- Example of an approximation algorithm
- We will later see a $3/2$ -approximation algorithm for metric TSP

Back to Scheduling

- Given: n requests / jobs with deadlines:




- Goal: schedule all jobs with minimum lateness L
 - Schedule: $s(i)$, $f(i)$: start and finishing times of request i
 Note: $f(i) = s(i) + t_i$ $f(i) - s(i) = t_i$
- Lateness $L := \max\{0, \max_i \{f(i) - d_i\}\}$
 - largest amount of time by which some job finishes late
- Many other natural objective functions possible...

Greedy Algorithm?


Schedule jobs in order of increasing length?

- Ignores deadlines: seems too simplistic...
- E.g.:



Schedule by increasing slack time?

- Should be concerned about slack time: $d_i - t_i$



Greedy Algorithm

Schedule by earliest deadline?


- Schedule in increasing order of d_i
- Ignores lengths of jobs: too simplistic?
- Earliest deadline is optimal!

Algorithm:


- Assume jobs are reordered such that $\underline{d_1} \leq \underline{d_2} \leq \dots \leq \underline{d_n}$
 - Start/finishing times:
 - First job starts at time $\underline{s(1)} = \underline{0}$
 - Duration of job i is t_i : $\underline{f(i)} = \underline{s(i)} + \underline{t_i}$
 - No gaps between jobs: $\underline{s(i+1)} = \underline{f(i)}$
- (idle time: gaps in a schedule \rightarrow alg. gives schedule with no idle time)

Example

Jobs ordered by deadline:



Schedule:



Lateness: job 1: 0, job 2: 0, job 3: 4, **job 4: 5**

Basic Facts



1. There is an optimal schedule with no idle time
 - Can just schedule jobs earlier...

2. Inversion: Job i scheduled before job j if $d_i > d_j$
Schedules with no inversions have the same maximum lateness

