



# Algorithm Theory

## Chapter 8

# Approximation Algorithms

Part III:

Minimum Set Cover

Fabian Kuhn

# Set Cover

## Input:


- A set of elements  $X$  and a collection  $\mathcal{S}$  of subsets  $X$ , i.e.,  $\mathcal{S} \subseteq 2^X$ 
  - such that  $\bigcup_{S \in \mathcal{S}} S = X$

## Set Cover:

- A set cover  $\mathcal{C}$  of  $(X, \mathcal{S})$  is a subset of the sets  $\mathcal{S}$  which covers  $X$ :

$$\bigcup_{S \in \mathcal{C}} S = X$$

## Example:



# Minimum (Weighted) Set Cover


## Minimum Set Cover:

- **Goal:** Find a set cover  $\mathcal{C}$  of smallest possible size
  - i.e., over  $X$  with as few sets as possible

## Minimum Weighted Set Cover:

- Each set  $S \in \mathcal{S}$  has a **weight**  $w_S > 0$
- **Goal:** Find a set cover  $\mathcal{C}$  of minimum weight

## Example:




# Minimum Set Cover: Greedy Algorithm

## Greedy Set Cover Algorithm:

- Start with  $\mathcal{C} = \emptyset$
- In each step, add set  $S \in \mathcal{S} \setminus \mathcal{C}$  to  $\mathcal{C}$  s.t.  $S$  covers as many uncovered elements as possible

## Example:



# Weighted Set Cover: Greedy Algorithm

## Greedy Weighted Set Cover Algorithm:

- Start with  $\mathcal{C} = \emptyset$
- In each step, add set  $S \in \mathcal{S} \setminus \mathcal{C}$  with the best weight per newly covered element ratio (set with best efficiency):

$$S = \arg \min_{S \in \mathcal{S} \setminus \mathcal{C}} \frac{w_S}{|S \setminus \bigcup_{T \in \mathcal{C}} T|}$$

## Analysis of Greedy Algorithm:

- Assign a **price**  $p(x)$  to **each element**  $x \in X$ :  
The efficiency of the set when covering the element
- If covering  $x$  with set  $S$ , if partial cover is  $\mathcal{C}$  before adding  $S$  to  $\mathcal{C}$ :

$$p(x) = \frac{w_S}{|S \setminus \bigcup_{T \in \mathcal{C}} T|}$$


**At all times:**

$$\sum_{x \in X} p(x) = \sum_{S \in \mathcal{C}} w_S$$

# Weighted Set Cover: Greedy Algorithm

**Lemma:** Consider a set  $S = \{x_1, x_2, \dots, x_k\} \in \mathcal{S}$  be a set and assume that the elements are covered in the order  $x_1, x_2, \dots, x_k$  by the greedy algorithm (ties broken arbitrarily).

Then, the price of element  $x_i$  is at most  $p(x_i) \leq \frac{w_S}{k-i+1}$




- Price of  $x_1$  :  $p(x_1) \leq \frac{w_S}{k}$ 
  - When  $x_1$  gets covered, all  $k$  elements of  $S$  are uncovered
  - We therefore take a set with weight per newly covered element  $\leq w_S/k$
- Price of  $x_2$  :  $p(x_2) \leq \frac{w_S}{k-1}$ 
  - When  $x_2$  gets covered,  $\geq k - 1$  elements of  $S$  are still uncovered
  - We therefore take a set with weight per newly cov. elem.  $\leq w_S/(k - 1)$

# Weighted Set Cover: Greedy Algorithm

**Lemma:** Consider a set  $S = \{x_1, x_2, \dots, x_k\} \in \mathcal{S}$  be a set and assume that the elements are covered in the order  $x_1, x_2, \dots, x_k$  by the greedy algorithm (ties broken arbitrarily).

Then, the price of element  $x_i$  is at most  $p(x_i) \leq \frac{w_S}{k-i+1}$



- Price of  $x_i$  :  $p(x_i) \leq \frac{w_S}{k-i+1}$ 
  - When  $x_i$  gets covered, all elements  $x_i, x_{i+1}, \dots, x_k$  are still uncovered
  - We therefore take a set with weight per newly covered element

$$\leq \frac{w_S}{k - (i - 1)} = \frac{w_S}{k - i + 1}$$

# Weighted Set Cover: Greedy Algorithm

**Lemma:** Consider a set  $S = \{x_1, x_2, \dots, x_k\} \in \mathcal{S}$  be a set and assume that the elements are covered in the order  $x_1, x_2, \dots, x_k$  by the greedy algorithm (ties broken arbitrarily).

Then, the price of element  $x_i$  is at most  $p(x_i) \leq \frac{w_S}{k-i+1}$

**Corollary:** The total price of a set  $S \in \mathcal{S}$  of size  $|S| = k$  is

$$\sum_{x \in S} p(x) \leq w_S \cdot H_k, \quad \text{where } H_k = \sum_{i=1}^k \frac{1}{i} \leq 1 + \ln k$$

**Proof:**

$$\sum_{x \in S} p(x) = \sum_{i=1}^k p(x_i) \leq w_S \cdot \sum_{i=1}^k \frac{1}{k-i+1} = w_S \cdot \sum_{j=1}^k \frac{1}{j}$$



# Weighted Set Cover: Greedy Algorithm

**Corollary:** The total price of a set  $S \in \mathcal{S}$  of size  $|S| = k$  is

$$\sum_{x \in S} p(x) \leq w_S \cdot H_k, \quad \text{where } H_k = \sum_{i=1}^k \frac{1}{i} \leq 1 + \ln k$$

**Theorem:** The approximation ratio of the greedy minimum (weighted) set cover algorithm is at most  $H_K \leq 1 + \ln K$ , where  $s$  is the cardinality of the largest set ( $K = \max_{S \in \mathcal{S}} |S|$ ).

- Consider the greedy solution  $\mathcal{C}$  and an optimal solution  $\mathcal{C}^*$ :

$$w(\mathcal{C}) = \sum_{x \in X} p(x) \leq \sum_{S \in \mathcal{C}^*} \sum_{x \in S} p(x) \leq \sum_{S \in \mathcal{C}^*} w_S \cdot H_{|S|} \leq H_K \cdot w(\mathcal{C}^*)$$

$\mathcal{C}$  : greedy solution

$$w(\mathcal{C}) := \sum_{S \in \mathcal{C}} w_S$$

$\mathcal{C}^*$  : optimal solution

$$w(\mathcal{C}^*) := \sum_{S \in \mathcal{C}^*} w_S$$


# Set Cover Greedy Algorithm

Can we improve this analysis?

No! Even for the unweighted minimum set cover problem, the **approximation ratio** of the **greedy algorithm** is  $\geq (1 - o(1)) \cdot \ln s$ .

- if  $s$  is the size of the largest set... ( $s$  can be linear in  $n$ )

Let's show that the approximation ratio is at least  $\Omega(\log n)$ ...



**OPT = 2**

**GREEDY  $\geq \log_2 n$**

# Set Cover: Better Algorithm?

An approximation ratio of  $\ln n$  seems not spectacular...

Can we improve the approximation ratio?

No, unfortunately not, unless  $P = NP$


Dinur & Steurer in 2013 showed that unless  $P = NP$ , minimum set cover cannot be approximated better than by a factor  $(1 - o(1)) \cdot \ln n$  in polynomial time.

- Proof is based on the so-called PCP theorem
  - PCP theorem is one of the main (relatively) recent advancements in theoretical computer science and the major tool to prove approximation hardness lower bounds
  - Shows that every language in NP has certificates of polynomial length that can be checked by a randomized algorithm by only querying a constant number of bits (for any constant error probability)

# Set Cover: Special Cases

**Vertex Cover:** set  $S \subseteq V$  of nodes of a graph  $G = (V, E)$  such that

$$\forall \{u, v\} \in E, \quad \{u, v\} \cap S \neq \emptyset.$$



## Minimum Vertex Cover:

- Find a vertex cover of minimum cardinality

## Minimum Weighted Vertex Cover:

- Each node has a weight
- Find a vertex cover of minimum total weight


# Vertex Cover vs Matching

Consider a matching  $M$  and a vertex cover  $S$

**Claim:**  $|M| \leq |S|$

**Proof:**

- At least one node of every edge  $\{u, v\} \in M$  is in  $S$
- Needs to be a different node for different edges from  $M$




# Vertex Cover vs Matching

- In the following, assume that  $S^*$  is an optimal vertex cover

**Theorem:** If  $M$  is a maximal matching, then  $S := \bigcup_{e \in M} e$  is a vertex cover of size  $|S| \leq 2 \cdot |S^*|$ .

## Proof:

- $M$  is maximal: for every edge  $\{u, v\} \in E$ , either  $u$  or  $v$  (or both) are matched




- Every edge  $e \in E$  is “covered” by at least one matching edge
- Thus, the set of the nodes of all matching edges gives a vertex cover  $S$  of size  $|S| = 2|M|$ .

# Set Cover: Special Cases

## Dominating Set:

Given a graph  $G = (V, E)$ , a dominating set  $S \subseteq V$  is a subset of the nodes  $V$  of  $G$  such that for all nodes  $u \in V \setminus S$ , there is a neighbor  $v \in S$ .



- The dominating set problem is as hard as the general set cover problem.
  - There is a simple reduction to transform every set cover instance into an equivalent dominating set instance.

# Minimum Hitting Set

**Given:** Set of elements  $X$  and collection of subsets  $\mathcal{S} \subseteq 2^X$

– Sets cover  $X$ :  $\bigcup_{S \in \mathcal{S}} S = X$

**Goal:** Find a min. cardinality subset  $H \subseteq X$  of elements such that

$$\forall S \in \mathcal{S} : S \cap H \neq \emptyset$$

Problem is **equivalent to min. set cover** with roles of sets and elements interchanged

**Sets**

**Elements**

