



## Theoretical Computer Science - Bridging Course Sample Solution Exercise Sheet 3

Due: Tuesday, 12th of November 2024, 12:00 pm


### Exercise 1: REs

*(2+2+2+2 Points)*

- (a) Let  $\Sigma = \{a, b\}$ . Let  $L_1$  be the language defined by the regular expression  $a^*b^*a^*$  and  $L_2$  the language defined by  $a^*b^*b$ . Draw a DFA for  $L_1$  and  $L_2$ .
- (b) Let  $\Sigma = \{a, b, c\}$ . What language does the following regular expression describe  $((a \cup c)^*b(a \cup c)^*b(a \cup c)^*b(a \cup c)^*)^*$  ?
- (c) Let  $\Sigma = \{a, b\}$ . Provide a regular expression that recognizes the following two languages.
- Let language  $L_3$  contain all strings in which at least one of the symbols  $a$  or  $b$  occurs an even number of times.
  - Let language  $L_4$  contain all strings of length at least 2 such that  $a$  and  $b$  are alternating.

### Sample Solution

1. The DFA for  $L_1$  and  $L_2$  are respectively as follows:



2.  $L = \{w \in \Sigma^* \mid \text{the number of } b\text{'s is a non zero multiple of 3 or } w \text{ is } \epsilon\}$ .
3.  $(b^*ab^*ab^*)^* \cup (a^*ba^*ba^*)^*$
4.  $a(ba)^*b \cup a(ba)^*ba \cup b(ab)^*a \cup b(ab)^*ab$

### Exercise 2: Limits of the Pumping Lemma

*(1+3 Points)*

Consider the language  $L = \{c^m a^n b^n \mid m, n \geq 0\} \cup \{a, b\}^*$  over the alphabet set  $\Sigma = \{a, b, c\}$ .

- (a) Describe in words (not using the pumping lemma), why  $L$  can not be a regular language.
- (b) Show that, while the property described in the Pumping Lemma is a necessary condition for regularity, it is *not* sufficient for regularity.

*Hint: Use  $L$  as counter example, i.e., show that it can be 'pumped' (in the sense of the pumping lemma), but is still not regular.*

## Sample Solution

- (a) For recognizing that a word has the same number of  $a$ 's and  $b$ 's, a DFA would have to count the number of appearances of these characters, requiring at least one state for each appearance. But as the number of appearances can be arbitrary large, the automaton would need an  $\infty$  number of states. Thus  $L$  can not be a regular language.
- (b) The goal is to show that  $L$ , although it is *not* a regular language, has the property described in the Pumping Lemma. We will do this in the following.

For the pumping length, we choose an arbitrary  $p \geq 1$ . Now, the goal is to show: for every word  $w$  in  $L$  of length at least  $p$ , there exists a composition  $w = xyz$  satisfying the three properties from the lemma:

- 1) for all integers  $i \geq 0$ , it holds:  $xy^iz \in L$
- 2)  $|y| \geq 1$
- 3)  $|xy| \leq p$

If  $w \in \{a, b\}^*$ , it is clear ( since we will have  $w$  starting with either  $a$  or  $b$ , so we can choose  $x = \epsilon$ ,  $y = a$  (or  $y = b$  depending on what  $w$  starts with), and  $z$  the rest of the string to be a composition of  $w$ . This composition of  $w$  will have properties 1, 2, 3 satisfied. And *besides*  $\{a, b\}^*$  itself is a regular language so it must satisfy the property described by the Pumping Lemma).

Else,  $w = c^m a^n b^n$  with  $m \geq 1$ . We can choose  $x = \epsilon$ ,  $y = c$  and  $z = c^{m-1} a^n b^n$  as a composition of  $w$  that will have properties 1, 2, 3 satisfied.

Note that by doing this, we would have checked all words  $w$  in  $L$  of length at least  $p$ .

*Take away:* If we want to show that a language  $L$  is regular, then it is not sufficient to show that  $L$  has the property described in the Pumping Lemma. So, we can't really use the Pumping Lemma if we want to prove a certain language regular (we can instead try to find a DFA, NFA, or a regular expression for  $L$ ).

## Exercise 3: Proving Non-regularity

(2+3 Points)

Use the Pumping Lemma to show that the following languages over the alphabet set  $\Sigma = \{a, b, c\}$  are not regular.

- (a)  $L := \{a^n c b^{n+2} \mid n \geq 0\}$ .
- (b)  $L = \{a^m \mid m = n^2 \text{ for some } n \geq 0\}$ .

*Bonus:*  $L = \{a^n b w a^n \mid n \geq 1 \text{ and } w \in \Sigma^*\}$ .

## Sample Solution

In both parts, we are going to **assume** that  $L$  is regular. This means that the property from the Pumping Lemma should hold **true** for  $L$  (i.e. there exists an integer  $p \geq 1$  such that for every string  $w \in L$  where  $|w| \geq p$ , we can break  $w$  into three strings  $w = xyz$  such that properties 1, 2, and 3 hold true). **But**, we will show that in fact this property will **not** hold **true** for  $L$  (i.e. we will show that: for all numbers  $p \geq 1$ , there exists a (bad) word  $w \in L$  of length at least  $p$  such that for every composition of  $w = xyz$ , properties 1, 2, 3 do not hold all together). This will then give us a **contradiction** to the Pumping Lemma, hence, our initial assumption must have been wrong. Therefore,  $L$  is not regular.

- (a) Assume  $L$  is a regular language. This means that the property from the Pumping Lemma should hold true for  $L$ .

Now, let  $p \geq 1$  be any pumping length. Consider the string  $w = a^p c b^{p+2} \in L$ . Consider any

composition  $w = xyz$  with  $|y| \geq 1$  and  $|xy| \leq p$  (conditions 2 and 3 of the Pumping Lemma). Based on the Pumping Lemma, for all  $\ell \geq 0$ ,  $xy^\ell z$  must also be in  $L$ . Therefore,  $xy^3z$  must be in  $L$ , but since  $y$  only consists of  $as$ , then  $xy^3z$  contains at least as many  $as$  as  $bs$ , which means that it is not in  $L$ , in contrast to condition 1 of the Pumping Lemma, thus a contradiction to the Pumping Lemma. Therefore,  $L$  is not regular.

- (b) Assume  $L$  is a regular language. This means that the property from the Pumping Lemma should hold true for  $L$ .

Now, let  $p \geq 1$  be any pumping length. Consider a string  $w = a^{p^2} \in L$ . Consider any composition  $w = xyz$  with  $|y| \geq 1$  and  $|xy| \leq p$  (conditions 2 and 3 of the Pumping Lemma). In particular, we have  $|y| \leq p$  and with  $|xyz| = p^2$ , so we get  $|xy^2z| = |xyz| + |y| = p^2 + p \leq p^2 + 2p + 1 = (p+1)^2$ . It follows that  $|xy^2z| < (p+1)^2$ . On the other hand, because of  $|y| \geq 1$  we have  $|xy^2z| > |xyz| = p^2$ . So  $|xy^2z|$  lies strictly between the consecutive squares of integers  $p, p+1$ . Thus  $xy^2z \notin L$ , but based on the Pumping Lemma (condition 1),  $xy^2z$  must also be in  $L$ , thus a contradiction to the Pumping Lemma. Therefore,  $L$  is not regular.


*Bonus solution:* Assume  $L$  is a regular language. This means that the property from the Pumping Lemma should hold true for  $L$ .

Now, let  $p \geq 1$  be any pumping length. Consider a string  $w = a^p b a^p \in L$ . Consider any composition  $w = xyz$  with  $|y| \geq 1$  and  $|xy| \leq p$ . Then we can let  $x = a^{p-q-r}, y = a^q, z = a^r b a^p$ , for some  $q \geq 1$  and  $r \geq 0$ . Based on the Pumping Lemma, for all  $\ell \geq 0$ ,  $xy^\ell z$  must also be in  $L$ . Therefore,  $xy^2z$  must be in  $L$ , but  $xy^2z = a^{p+q} b a^p \notin L$ , a contradiction to the Pumping Lemma. Therefore,  $L$  is not regular.

#### Exercise 4: NFA-GNFA-RE

(3 Points)


Consider the following NFA:




Give the regular expression defining the language recognized by this NFA by converting it *stepwise* into an equivalent GNFA with only two nodes. Document your steps.

#### Sample Solution


- 1) Add a new start and accepting state, connect them with  $\epsilon$  transitions from/to the previous start/accept states, replace multiple labels with unions, add transitions with  $\emptyset$  when not present in the original DFA (for a better readability, some edges with label  $\emptyset$  are left out in the following diagram):



2) Rip off  $q_1$ :



3) Rip off  $q_2$ :



4) Rip off  $q_3$ :

